

151.196 Sign Design Standards Table	Zoning Districts							
	Residential (R1A, R1B, R1C, R2, R3, R4, RR, SRR, PRD)	Central Business (B3)	Highway Business (B1)	Community Commercial (NC, CC)	Major Recreation (MR)	Office and Business Park (B2, BP)	Industrial (I1, I2)	
Wall Signs	Permitted (Temporary only)	Permitted	Permitted	Permitted	Permitted	Permitted	Permitted	
Maximum Area	4 Sq. Ft.	32 sq. ft.	120 Sq. ft or 1 sq. ft. per foot of frontage whichever is less	120 Sq. ft or 1 sq. ft. per foot of frontage whichever is less	120 Sq. feet or 5% of wall area whichever is greater	5% of wall area	5% of wall area	
Maximum Height	Shall not extend above roof line	Shall not extend above roof line	Shall not extend above roof line	Shall not extend above roof line	Shall not extend above roof line	Shall not extend above roof line	Shall not extend above roof line	
Lighting Source	External	External or internal	External or internal	External or internal	External or internal	External or internal	External or internal	
Marquee/Projecting Signs	Not Permitted	Permitted	Not Permitted	Not Permitted	Permitted	Not Permitted	Not Permitted	
Maximum Area		24 Sq. Ft. per face			100 sq. ft. per sign face			
Maximum Height		Shall not extend above roof line			Shall not extend above roof line			
Maximum Projection		60 in. from building face or 24 in. from back of street curb			60 In. from building face			
Lighting Source		External or internal			External or internal			
Freestanding Signs	Permitted (Temporary only)	Not Permitted	Permitted	Permitted	Permitted	Permitted	Permitted	
Maximum Area	4 Sq. Ft.		100 sq. ft. per face	100 sq. ft. per face	125 sq. ft. per face	125 sq. ft. per face	125 sq. ft. per face	
Maximum Height	4 Feet		30 Feet	30 Feet	35 Feet	12 Feet	12 Feet	
Lighting Source	External		External or internal	External or internal	External or internal	External or internal	External or internal	
Window Signs	Permitted	Permitted	Permitted	Permitted	Not Permitted	Not Permitted	Not Permitted	
Maximum Area	4 Sq. Ft.	50% of window area	50% of window area	50% of window area				
Lighting Source	External	External or internal	External or internal	External or internal				
Electronic Message Boards	Not Permitted	Not Permitted	Permitted	Permitted	Permitted	Not Permitted	Not Permitted	
Maximum Area			32 Sq. Ft.	32 Sq. Ft.	32 Sq. Ft.			
Maximum Height			See standards for Wall or Freestanding signs					
Maximum Brightness			0.3 foot-candles above ambient light 150 feet away	0.3 foot-candles above ambient light 150 feet away	0.3 foot-candles above ambient light 150 feet away			
Change Frequency			Once every 8 seconds	Once every 8 seconds	Once every 8 seconds			
Highway Signs	Not Permitted	Not Permitted	Permitted	Not Permitted	Permitted	Not Permitted	Not Permitted	
Maximum Area			175 Sq. Ft.		175 Sq. Ft.			
Maximum Height			40 Feet		40 Feet			
Lighting Source			External or Internal		External or Internal			